


# 1300 64 64 23

# INSTALLATION Manual Surefootqld.com.au

NO MORE DIGGING PTY LTD T/A SUREFOOT QUEENSLAND ABN: 366 755 367 95



# INSTALLATION Manual

# CONTENTS

Introduction	3
Installation Equipment/Tools	4
Installation Instructions	5
Trouble Shooting	6 - 7
Swaged Piles	8
Pile Record	10
Appendix A	
Pile record example	11
Appendix B	
Pile plan example	12
Appendix C	
Recommended Jack Hammers	14

## Surefoot is an



View our installation video on our Website



"Surefoot is at the forefront of design, innovative and environmentally friendly footing systems"

## **Engineering Principles**

Surefoot engineering principles are based on piling technology using a combination of skin friction and bearing to achieve load capacities in various soil types.

Design capacity calculations are based on the working stress method, using refined geotechnical data, obtained throughout time for skin friction and bearing pressure.

## **Surefoot System**

Surefoot is an "all in one system", where the unique shape and high strength steel combines to create a very efficient pile cap. Once piles are driven and the cap secured, the opposing forces of the multi directional piles provides a solid, stable and economical footing. The system is designed to increase its efficiency when resisting gravity, uplift, shear and moment loads. Ultimately the soil structure absorbs the applied stress.

Our footing system is job specific and is designed according to site soil conditions, and structural design loads etc.

## **Pile Record**

A pile record must be kept for each footing and once completed, returned to the consulting Engineer. Refer to Appendix A & B for the Pile Record document and plan example.

## Adjustability

Depending upon the Surefoot type and design, the baseplate can be adjusted 100mm horizontally and 50mm vertically.

# **TOOLS REQUIRED**

	<ul> <li>Electric or petrol jackhammer for standard penetrable soils</li> <li>45 Joules minimum impact energy</li> <li>30mm hex shaft</li> </ul>	Bolt Type     Socket       M20     30mm       M24     41mm   Sledge hammer
	Jackhammer drivers to suit 30mm hex shaft.	Small Level
	Generator / Power leads (if using electric tools)	Tape measure
	Cold gal. zinc rich touch up paint	Personal Propection Equipment Safety footwear, heavy protection, eye protection (googles)
	Grinder	High visibility shirt or vest
	Impact driver with 3/8" hex. bit for type 14 gauge Tek screw 5/16" hex. bit for series 500 Tek screw	
Since and a second	"Piles are driven using simple hand held equipment"	
500000000000000000000000000000000000000	Surafootald.com au   1300.64.64.2	

# **INSTALLATION INSTRUCTIONS**

#### **Identify services**

Mark and identify the location of any underground obstacles or services before driving the piles.

#### Pre - install hardware

Install all nuts and bolts and secure to Surefoot pile cap.

#### Set out

Set out and place the Surefoot pile cap in their correct position.

#### **Bedding down**

Protect the top surface of the surefoot with a timber block. Tap with a sledge hammer to bed down and level into the soil.

#### Load and semi - drive piles

Slide apposing piles through the guide tubes in the Surefoot.

#### Level and secure the plate

Using a small sledge hammer drive the piles 200-300mm to secure the plate. Do the same with the rest of the piles in the Surefoot.

#### Drive the piles



Then drive each pile alternately in increments with the jackhammer, periodically checking for level. Drive to designed pile embedment depth or refusal, see notes Pg. 06.

#### Complete driving piles

Finish driving piles with the jackhammer until piles are flush with Surefoot plate.

#### Lock the plate in place

9

8

Using the jackhammer through the center hole in the Surefoot, drive down the plate until the piles are tightly locked in.

#### Finishing the plate



If refusal conditions are met and the Engineer has approved the cut piles, note in the pile log and paint exposed metal with cold gal Zinc rich touch up paint.

#### Install Tek screws



Install the self drilling Tek screws through the Surefoot sleeves using a low speed and high torque, securing the pile to the Surefoot pile cap.

#### Pile record



A pile record must be kept for each footing and returned to the Engineer once completed, refer



Welding directly to Surefoot

Assembly of nuts and bolts

# **TROUBLE SHOOTING**

### Services

Before you start the installation, identify all underground services. If you suspect the driven pile may interfere:

- A- Rotate the Surefoot to redirect the pile.
- B- Upgrade the Surefoot size to allow for more pile placement options. As long as the Engineer is aware of underground obstacles or utilities, a custom design Surefoot can be made to keep the piles from this area. We have 2, 3 and 4 way Surefoot pile options. 2 and 3 way Surefoot could be used to avoid an obstruction.

## **Diagram Showing Obstruction**

### Obstruction

- A- If a pile stops moving when driven in -STOP driving the pile!
- **B-** Be sure that the other piles are at least half way in to stabilise the Surefoot plate.
- C- Give the obstructed pile one or two firm hits with the sledge hammer. If the pile bounces it could be either a pipe or tree root. If the pile feels solid, it could be an isolated rock (refer to Rock Policy). Address these issues as suggested:
  - **C.1** Service Pipe Remove Surefoot plate, reposition / change pile direction to avoid the obstruction.
  - **C.2** Tree root Small Tree: Cut the pile end at 45° and jackhammer pile through the tree root.

Large Tree: As per C.1

Services / Tree / Rock

2 ways / 3 Ways

2 and 3 way Surefoot could be used to avoid an obstruction

Obstruction



**Extra Adjustment** 

Customised

### **Rock policy**

1. Our general policy is that the designed embedment depth of piles must be achieved or to the "point of refusal", whichever is the lesser. Avoid using Surefoot in "harder" igneous or metamorphic rock such as solid granite or bluestone.

2. The test for "refusal", is where the pile penetration for each 15 seconds of hammer time is less than 5 mm. This is based upon a minimum Jack hammer rating of 45 Joules.

3. The minimum embedment depth of the pile is generally 700 mm. Some softer rock or "floaters" may be fractured by increasing the the capacity of the pneumatic hammer. Our micropile tends to "core" into softer rocks with sustained pressure. The minimum penetration into the rock is 100 to 200 mm. Pre drilling of pilot holes may be required to achieve the designed or minimum depth.

4. Alternatively, consider whether the Surefoot footing could be slightly repositioned to avoid the rock. Also consider using a greater sized cap, which gives greater pile location options.

5. Where rock is encountered very close to the surface and the minimum embedment depth cannot be achieved, please consult with the certifying Engineer or trained Surefoot staff for instructions. Provide a pile record and plan to the Engineer for reference. This should indicate the pile location and driven pile depths. Photos may be useful, if available.

### Keeping the Surefoot in position

To keep Surefoot in the correct location you may use the centre sleeve in the Surefoot pile cap and partially drive a micropile off cut down to prevent movement. This is recommended on sloping sites

### Driving the pile to specified depth

If is there a problem driving the micropile to the specified depth the certifying Engineer or Surefoot should be contacted to provide further instruction.

### Levelling and relocation the pile cap

Surefoot should be installed level. Only Surefoot combined with a bolt and baseplate assembly is adjustable for level. Follow points 4 to 7 of the installation instructions. If your Surefoot pile cap is distinctly out of level in the early stages we recommend that you start again.




To remove the pile cap, the micropile should be cut off beneath the pile cap sleeve in order to rotate or relocate the footing




These piles are "joined" piles and are used where access for driving piles is limited and eliminates single long pile lengths.

- 1. Driven piles result in flared edges which require cutting off. Using an external driver attachment, drive the standard pile end through the Surefoot guide to within 100 mm of the plate.
- 2. Drive down and cut the flared edge off the narrow swaged pile end. (Approx. 30 50 mm)
- 3. Place the second standard pile onto the cut swaged end and hammer down so that the joined piles pass through the Surefoot guide. Continue driving the swaged pile to the recommended pile embedment depth.



# DON'T FORGET TO WORK SAFE!

3





Shade Sail

**Directional Surefoot** 



To start off long piles in any soil use a hand held "Star Picket" driver or a petrol driven overhead driver".

omm to 2400mm

30mm to 2400mm



PILE RECORD AUG 2019 V1.2

Job Address:

**Clients Name:** 

Date:

Specified Pile Embedment Depth:

Footing #	Pile#	Embedment	Comment	
Pile Record No	te:	1- Print Clearly in Pen	If returning this pile provide a plan and i	record to the certifying Engineer, dentify the Footing Number
Comments				
Installation Supervisor				
Signature				Date



# **PILE RECORD**

# Example

# PILE RECORD

#### Job


Date

Specified Depth 1450mm

Specified Depti	• 145011111		· · · · ·
Footing #	Pile #	Embedment	Comment
eg.			
1	1	1450	О.К
	2	1450	О.К
	3	1450	О.К
	4	900	Refusal on solid rock
	5	1450	Extra centre pile added due to
			Engineer's request to compensate
			for "soft spot"
2	1	1450	О.К
	2	1450	O.K
	3	1450	О.К
	4	1450	О.К
3	1	600	Refusal <700mm contact Engineer
	2	900	O.K refusal Engineering approved
	3	1000	O.K refusal Piles 1, 2 & 3
	4	1450	O.K
4	1	1450	О.К
	2	1450	O.K
	3	1450	О.К
	4	1450	O.K
Dile Decend Ne			2 - If returning this pile record to the certifying Engineer,
<u>Pile Record No</u>	<u>nte:</u>	- Print Clearly in Pen	provide a plan and identify the Footing Number
Comments	Discussion wi	ith cortifuing one	incor directed to use an extra pile to
		for the soft spot	jineer, directed to use an extra pile to
	•	ior the solt spor	•
Installation Su	<sup>ipervisor</sup> Nan	ne	
Signature	Siar	nature	Date Date
	91		



# PILE RECORD PLAN EXAMPLE



© SUREFOOT ®™




S250 with fully adjustable stump assembly - Domestic Project

S400 Stainless Steel Surefoot - Marine Environment



Mining



Marine Environment Commercial

S250 Installation

©SUREFOOT®™

Surefootqld.com.au | hello@surefootqld.com.au

# Examples of equipment used to drive Surepiles

### SELECT A JACKHAMMER RATED AT A MINIMUM 45 JOULES TO COMPLETE DRIVING PILES TO SPECIFICATION

Туре	Image	Brand	Model	Rating	Notes
Petrol Overhead Driver		Various		<b>26</b> Joules	<b>STARTING LONGER PILES</b> 1.93 - 2.4 m Lightweight overhead petrol driven star picket driver used for starting long piles in softer soils. Weighs approximately 13- 15kg
Electrical Jackhammer	A CONTRACTOR	Various		<b>45</b> Joules Minimum	<b>STANDARD INSTALLATION</b> in softer clays and sand - Electrical Jackhammer rated at a minimum 45 joules. This is a prerequisite in order to comply with our test for "refusal"- refer to page
Petrol Jackhammer	1	Various		<b>45</b> Joules Minimum	<b>STANDARD INSTALLATION</b> in softer clays and sand - Petrol Jackhammer rated at a minimum 45 joules. This is a prerequisite in order to comply with our test for " refusal "- refer to page 7. Weight 18.5kg - 21 kg , 30mm hexagonal shaft
Electrical Heavy Duty Breaker	Canal	Hilti	TE 3000-AVR	<b>68</b> Joules	<b>FINISHING PILES (OPTIONAL)</b> in very hard clays or soft rock - Hard hitting jackhammer weighing approximately 30 kg, specialised driver bit required- check with Surefoot
Hydraulic Power Pack & Post/pile Driver	Contraction of the second		Various	<b>68</b> Joules+	<b>FINISHING PILES (OPTIONAL)</b> in very hard clays or soft rock - Hydraulic power pack and post / pile driver attachment







## **GOLD COAST DISTRIBUTION CENTRE** 1/28-30 Newheath Drive Arundel, Queensland 4214

## **1300 64 64 23** surefootqld.com.au